

$\mathsf{D}_{\mathit{o}\,\mathit{n}} \bullet \mathsf{t}_{\mathsf{s}} \mathsf{Can} \ \mathit{t} \mathsf{H} i^{\mathsf{s}} \mathit{a} \mathsf{O}_{\mathsf{c}} \mathsf{U} \mathsf{m}_{\mathsf{e}} \underline{\mathsf{n}} T!$

Figure 3A

Brown et al.
AUS920010687US1
Method, Apparatus, and Program to Prevent
Computer Recognition of Data
Page 2 of 5



Figure 3B

	404	400	402 		406	408	410
	<u></u>				\rightarrow		វា
	Pre	ferences	<u> </u>			U 🗵	4
412 >		Randor	n Fonts				
	Include Nonstandard Fonts						
		☐ Inc	lude Hollow F	onts			
		☐ Ro	tate Fonts				
		⊠ Ra	indom Spacin	g Offsets			
		Backg	round Image				
		Rever	sing				
		☐ Ra	andom Polygo	ns			
		☐ Al	ternate Chara	cters			
	Statu	us Bar					_
				 -			

Figure 4A

Brown et al.
AUS920010687US1
Method, Apparatus, and Program to Prevent
Computer Recognition of Data
Page 3 of 5




Figure 4B




Figure 5

Brown et al.
AUS920010687US1
Method, Apparatus, and Program to Prevent
Computer Recognition of Data
Page 4 of 5




Figure 6




Figure 7
Brown et al.
AUS920010687US1
Method, Apparatus, and Program to
Prevent Computer Recognition of Data Page 5 of 5